



Rialto Interior Shutters  
Altra Exterior Shutters  
PolyCore Shutters  
SMRT Shutters  
Wood+Plus Shutters  
External Sun Screens  
Awnings and Canopies  
Roller Blinds  
Vertical Blinds  
Roman Blinds  
Panel Screens  
Cellular Blinds  
Venetian Blinds  
Curtains and Tracks  
Security Doors and Screens

 **Maxx**<sup>TM</sup>  
Side Seal Awnings

 i-motion

 **SHUTTERS**  
— AUSTRALIA —

 **inwood**  
blinds & awnings



## Good, Better, TEST!

With durability, practicality and a timeless Plantation Shutter look in mind, we embarked on the ground breaking design of the Rialto Shutter.

Old ideas and new were combined to create the most durable and beautiful shutter yet.

With value in mind, reducing cost without compromise and retaining the traditional look of Plantation Shutters was achieved.



Wide panels allow uninterrupted views, simplicity and virtually indestructible.

Hinged in frames or using pivot hinges for a minimalist look and maximise the view, Sliding Top hang or Bottom Roll.



## Thermal Properties

Net heat gain in to a room using Timber, Polymer and Rialto showed no difference in the room temperature gain .



## Rialto | WoodPlus+ | SMRT PolyCore Advanced Polymer with Aluminium core

1 Hinged panels with Clearview Tilt. 2 SMRT Polycore Clearview. 3 Rialto Bottom Roll Sliding (BRS) Sliding-wide panels. 4 Rialto BRS sliding with frame build out 5 Pivot Hinge direct mount with light block 6 Shaped Shutter 7 Sliding Shutter face fit frame 4 sides. 8 Custom Stained Kiri Wood Shutter. 9 Bay window. 10 Sliding Shutter face fit without bottom frame. 11 Skylight Shutter.

Altra Shutters | Interior | Exterior

Durable | Lockable | Sliding | Folding | Hinged | Fixed | Increased View



Maximise the view with Sliding Altra



Altra Multifold hinged




Altra Multifold and fixed panel



Altra Multifold and fixed panel



Multifold Altra



Raked top - Altra Fixed U Channels




Altra fixed panel with 100mm angle



Altra Multifold



Altra Fixed Panel - Custom Powder Coat colour



Black End Caps and Clearview Rod



Flushbolt




Key Shootbolt



Bottom Roll Tracks



PP94 Bottom Track



PP94 Track Recessed



Alfresco Side Seal System with Closed Head Box



Maxx M 'Giant' Side Seal up to 6.5m wide x 4m drop  
Self-correcting Magnetic System  
Wind Tested to 185kph @ 3.5m wide  
Recommended to be retracted in extreme conditions



Maxx Side Seal Awnings



Wire Guide Sunscreen



Mini Side Seal Awning with free standing leg



Maxx Side Seal up to 6m wide



Motorised or Crank



Optional bottom rail lock

### Made for Australian Outdoor Living | Side Seal | Wire Guide



- Weather Protection-Rain and Wind Resistant
- Powder Coated Aluminium
- Motorised or manual Crank
- Side Seal or Wire Guide
- Optional Bottom Rail Locks
- Up to 6.5m wide, 4m drop for 'M Giant'



Open Roller



Wire Guide Sunscreen





SA40 Semi Cassette



SA40 Semi Cassette

**Folding Arm Awnings**

Create a large outdoor area for sun protection. Up to 6m wide and 4.1m projection.

Open frame, Semi-cassette or Full-cassette.

**Options:** Crank operated, Motorised, wind and sun sensors.

Custom powder coated colours available.



SA40 Australia Folding Arm Awning- under eave rafter fix



Facia Rafter fix



Euro Folding Arm Full Cassette



Full Cassette Folding Arm Awning



Full Cassette



SAEM Cassette Folding Arm Awning



Full Cassette Folding Arm Awning

Wire Guide Awnings



Folding Arm Awnings with optional straight Valance



ATR Awnings



Multi-Stop Cafe Screen




Atlas Pivot



Compact



Compact Pivot Awning



Cupola Canopy Awning



Wedge Canopy



Dutch Hood with straight valance



French Style Canopy



Custom made shapes can be covered in a huge range of fabrics. Canopy Awnings can provide weather protection, advertising writing and Style!

### Which Shutter? Construction Comparison.

		WoodPlus	Rialto	Altra	SMRT Poly	PolyCore
<b>Structure</b>	Origin	China	Australia	Australia	China	Australia and China
	Structure	Kiri, Basswood	T5 Aluminium / Stainless Steel/ Nylon	Aluminium / Stainless Steel/ Nylon	Poly Vinyl / Aluminium	Poly Vinyl / Aluminium
	Finish	PU Under Coat NC Top Coat	Powder Coat	Powder Coat	PU Under Coat NC Top Coat	Water based PU Paint Coat
	Insulation/ Thermal	☆☆☆☆☆	☆☆☆☆☆	☆☆☆☆☆	☆☆☆☆☆	☆☆☆☆☆
	Paint Warranty	3 Years	Lifetime	Lifetime	3 Years	3 Years
	Fire Retardant		✓	✓	✓	✓
	Cracking / Warping	1 Year	Lifetime	Lifetime	Lifetime	Lifetime
	Panel width	750 / 900 oversize	900 hinged 1350 non-hinged	900 hinged 1350 non-hinged	750 / 900 oversize	750 / 900 oversize
<b>Durability</b>	Impact Resistance	☆	☆☆☆☆☆	☆☆☆☆☆	☆☆	☆☆
	Surface Durability	☆☆	☆☆☆☆☆	☆☆☆☆☆	☆☆☆	☆☆☆
	Wet Areas	✗	☆☆☆☆☆	☆☆☆☆☆	☆☆☆☆☆	☆☆☆☆☆
	Interior / Exterior	Interior	Interior / Exterior	Interior / Exterior	Interior	Interior
	Wipe Clean	☆☆☆	☆☆☆☆☆	☆☆☆☆☆	☆☆☆☆☆	☆☆☆☆☆
<b>Options</b>	Double key Deadlocks	N/A	Available	Available	N/A	N/A
	Metal Pivot Pins			✓		
	Stainless Steel Parts		✓	✓		
	Intrusion Resistance		☆☆	☆☆☆☆☆		
	Plantation Tilt	✓				
	Clearview Tilt	✓	✓	✓	✓	✓
	Shapes	Any shape	Raked	Raked	Limited	Raked
	Custom Paint Colour	✓	Powder Coat Range	Powder Coat Range	✓	N/A

### Which Awning Selector

	SA Maxx M Giant 150-HD	SA Side Seal Maxx 129-HD	SA Side Seal Maxx 125	SA Side Seal Mini 95	SA Wire Guide Maxx 129-HD	SA-ATS Alfresco Tension	SA40-Aust Folding Arm	SA40SC Folding Arm	SA BAT Euro Full Cassette	Guide Rail ATR	Compact Pivot	Compact Atlas	Multi-stop Café Screen	Crank Straight Drop
Maximum Width (m)	6.5	5.8	5.1	4	5.8	5	6	6	6	3.9	3.9	6	3.9	6
Maximum Drop (m)	4	4	3.3	2.7	4	5	4.1	4.1	4.1	2.1	2	2.7	2.1	4
Maximum m <sup>2</sup>	18	18	18	10.8	18	20	24.6	24.6	24.6	8	7.8	15	8	18
Bottom Rail Lock	✓	✓			✓	-	-	-	-	-	-	-	-	-
Side Channels (mm)	73/80	65/73	40	30/40	4	60	-	-	-	-	-	-	-	-
Spring Operated Option		✓			✓	-	-	-	-	✓	-	-	✓	-
Crank Operated Option		✓	✓	✓	✓	No	✓	✓	✓	No	✓	✓	No	✓
Motorised Option	✓	✓	✓	✓	✓	✓	✓	✓	✓	No	✓	✓	No	✓
Wind, Rain Resistance	High	High	High	Mid	High	High	Low	Low	Low	High	Mid	Low	High	High
Standard Colour Range	7	7	84	84	7	High	4	4	2	7	7	7	7	7
Where	Alfrescos, Windows	Alfrescos, Windows	Alfrescos, Windows	Alfrescos, Windows	Alfrescos, Windows	Alfrescos, Roof	Patios, Window	Patios, Window	Patios, Window	Patios, Window	Window	Patios, Window	Patios, Window	Alfrescos
Why?	Self Correcting Strong, Large	Value, Strong, Large	Value, Strong, Large	Value, Minimal look	Value, Large	Resistant	Strong	Strong, Semi-Cassette	Strong, Large	Value, Durable	Value, adjustable	Strong, Large	Value, Easy, Durable	Value, Large

## Decor Curtains and Tracks



Sheer S Fold


## Relaxed, Style, Decor

Custom made Sheers, Blockout and Linens in a wide range of Designer fabrics and colours with a full range of hand crafted headings.

S Fold and Decor tracks in White, Black and Silver or custom powder coat colours.



Double curtains




Optional flik-stick



Weighted hem






Panel Screens | Duo Shade |Fashade Valance |Vertical Blinds

1-3 Panel Blinds. 4. Duo Shade 5-6. Timber Venetian Blinds 7.Optional Roller Blind Bracket Covers. 8. Wand Tilt is standard for Vertical Blinds. 9. Vertical Blind Block Out Fabric, with optional Chain weights.

Energy Efficient

Want to save up to 32%\* on your heating costs?

Cellular shades are designed with a unique honeycomb shape that creates pockets of energy-saving insulation. This helps to prevent heat energy from entering or leaving your home through your windows, improving your heating and cooling costs in both winter and summer.



\*Savings are based on the insulation of fully-recessed, reveal-mounted Sunway 20mm single cell blackout fabric in an average home in Sydney, compared with the House Energy Rating standard of Holland Blinds from AccuRate, in that home. Those calculations have been modelled by an independent third party. Savings will vary based on window type and installation.



Cellular Blinds - The most Energy Efficient Blind

Block Out and Light Filter Fabrics





### Valances for Roller Blinds | Panel Screen Blinds | Vertical Blinds

Available in a range of custom sizes and finishes. For Timber, Aluminium and Fashade Valance, the standard size is 100mm.

### Home Automation

Control from the phone app, hand held remote or automated sensors and time of day scenarios. Easy and low cost options for 'set and forget'.



### Roller Blinds | Architectural Hardware | i-motion automation


1 Translucent Fabric Roller Blind. 2 Screen Roller Blinds. 3 Nightlife Block out Fabric Roller blinds. 4, 5, 6, 7 Screen Roller Blinds.

**Options:** Chain operation PVC Polyester or Silver Metal Chain | Motorised 240V or Battery 12V | Bottom Rails Silver Anodised or Fashion Colours.



## Australian Made Roller Shutters

- Rollasheild barrier for sound, heat and privacy. Max width 3.6m
- BAL40 Firesheild Bushfire attack level 40. Max width 4m (4.6m with extension)
- Manual Spring Assist, 240v Somfy motors or 12 Volt rechargeable battery
- Remote or wall switch. Key lockable option.




# AMPLIMESH

SECURITY DOOR & WINDOW SCREENS

Available in a range of formats, including hinged, sliding and folding, for windows and door and are custom manufactured, measured and installed to suit your home.

- Bush fire compliant
- Cyclone impact resistant
- Security Standard AS5039/41
- Jemmy Test
- Pull Test
- Knife Test



156°  
ANGLE OF VIEW

SUPASCREEN


16  
YEARS



119°  
ANGLE OF VIEW

INTRUDAGUARD

10  
YEARS



## Why Shutters Australia?



Helene and Braydon Inwood

### Proudly Australian

With a lifetime of experience designing, manufacturing and installing Shutters, Blinds, and Awnings made in Australia.

### Experience, Trust

50 years customer service and experience taught us how to design and manufacture products for Australian conditions for Australian customers.

### Best Warranty in the Industry

Our Lifetime Structural Warranty backed with our customer service means peace of mind. We are here to help design the right product for you with expertise and experienced technicians, backed up with our customer service.

### Family owned

As a family owned and operated company, we understand what it is like to be part of a family, to have the support around to make business a success. We are not just a team, but a family.

### Order acceptance form

Email details to [orders@shuttersaustralia.com.au](mailto:orders@shuttersaustralia.com.au) or complete and send the form below.

Name on order:	Quote / Tax invoice No:
Primary Phone:	Email:
Preferred installation Day / Date:	Representative:
Alterations to invoice: <input type="checkbox"/> changes <input type="checkbox"/> no changes	
Authority to proceed with tax invoice. Customer signature:	
Deposit enclosed (50% minimum): \$	<input type="checkbox"/> Visa, Master card <input type="checkbox"/> Direct deposit
Card number	Expiry date:
Name on card:	Card holder's signature:

Direct Deposit payments may be made into our bank account. Include tax invoice number and name on order.  
Bank: Westpac BSB: 032388 Account Number: 219581 Account Name: Shutters Australia Pty Ltd

### Happy Customers

Amy ★★★★★

We got our new curtains installed today and we couldn't be more thrilled. They look stunning and really soften the space. Dealing with Shutters Australia has been such an easy process

George ★★★★★

Highly, Highly recommended!!! Don't waste your time on DIY or other suppliers. Get Shutters Australia to do it for you and that's the best decision you'll make

Charisma ★★★★★

We love our shutters!! All the staff were professional and very helpful, from the start to the finish it all ran so smoothly.

David and the install team were great, they did an awesome job. Really pleased with everything! Would highly recommend Shutters Australia Castle Hill. Thanks Team for the excellent experience



#### Shutters Australia

5/9 Packard Avenue, Castle Hill, NSW, Australia, 2154

P: +61 2 8858 0900

[enquiries@shuttersaustralia.com.au](mailto:enquiries@shuttersaustralia.com.au)

[www.shuttersaustralia.com.au](http://www.shuttersaustralia.com.au)